




Specification

Seating Capacity	4 Person
Dimensions	174" X 93" X 52.75" / (442 cm X 236 cm X 134 cm)
Useable Swim Area Dimensions	117" or 297 cm
Dry Weight	2,532 lbs / 1149 kg
Filled Weight (Spa Volume)	18,445 lbs / 8,369 kg
Water Capacity (Spa Volume)	1,900 US gallons / 7,220 L
Electronic Controls	IN-K1000 SS Keypad (25 FOOT)
Pump 1	North America (60 Hz): 1- Speed, 4 HP, AMPS 12.0 Europe (50 Hz): 1- Speed, 3 HP, AMPS 10.0
Pump 2	North America (60 Hz): 1- Speed, 5 HP, AMPS 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPS 12.7
Circulating Pump	North America (60 Hz): 1- Speed, 1/12 HP, AMPS 0.65 Europe (50 Hz): 1- Speed, 1/15 HP, AMPS 0.66
Total Jets	29
Seat A Jets	(1)-6015050; (2)-6030064; (2)-6030065; (2)-6030066;(2)-6015053
Seat B Jets	(2)-6015050; (2)-6030064; (2)-6030066; (2)-6015053
Seat C Jets	(2)-6020070; (1)-6020071; (1)-6015053
Seat D Jets	(2)-6015050; (2)-6020069; (2)-6020071; (2)-6020072
Massage Selectors	YES
Air Controls	3
Water Management System	Pure Water System
LED Lighting	(1)-20 LED Large Light; (1)- Self Clean Plate
Synthetic Cabinet Colours	Driftwood, Midnight
Acrylic Colours	Silver Marble, Alpine Mist, Pure White
Headrests	(2)- Hydro fall Pillows; (2)- Small Wrap Pillows
Waterfalls	YES
Electrical Requirements	North America (60 Hz): 240 V,40 AMPS GFCI RATED: 50 AMPS Europe (50 Hz):230V, 28A or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC.
Warranty	10/5/3 Year limited
Options/ Special Features	<p>1) Fitness and Fun:</p> <ul style="list-style-type: none"> • Aqua Rowing Kit • HP Cross Training Fitness Kit • 48" Stainless Steel Exercise Bar (Left Side Only) <p>2)Covers:</p> <ul style="list-style-type: none"> • Safety Insulating Cover • Summer Cover with Tie Downs • Bi-Fold Cover Option • Rollaway Cover • Bracket for Rollaway Cover • Cover Remover (Standard) • Cover Remover Plus (Hydraulic) <p>3)Hydrotherapy & Swim:</p> <ul style="list-style-type: none"> • Hydro Flex Air Therapy System- Heated** • White Water System** <p>(**Both System cannot be ordered on the same Swim Spa due to amperage Demand)</p> <p>4)Cabinet:</p> <ul style="list-style-type: none"> • Replace Cabinet add Solid State Frame <p>5)Bellagio Package Includes:</p> <ul style="list-style-type: none"> • Bellagio Hydro falls • Northern Lights + 2 LEDS <p>6)Heating Options:</p> <ul style="list-style-type: none"> • Auxiliary Heating System By-pass Loop • Additional Heating (Optional on all Swim Spa) <p>6)Other Popular Upgrades & Options:</p> <ul style="list-style-type: none"> • GFCI Including Subpanel • Tether Cord (Optional on all Swim Spa) • I Command System • Form Goggles • Northern Lights + 2 LEDS • EZ - Pure Ozonator (Must delete Pure Water) • 5 Tier Aqua Step





Massage Selector/Air Control Diagram



ACP- Air controller Pump
 BJ- Buoyancy jet
 HFPC- Hydro fall Pillow Control


Seat Depth

A = 27.625" (70.17cm)

C = 28.50" (72.39cm)

B = 25.00" (63.50cm)




D = 25.00" (63.50cm)




LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE ±1/16" (0.158CM)



Dimensions



IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking



NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/- 1/4"



HYDROPOOL – 14AX AQUASPORT SWIM SPA




Year:	2023
Model:	HydroPool 14AX Aqua Sport Swim Spa
Size:	174" X 93" X 52.75" / (442cm X 236cm X 134cm)
Series:	HydroPool Aqua Sport Series
Main Keypad:	IN. K1000 SS Keypad (7005089)
Spa Pack and Heater:	Heater: 4 & 3 KW 240 V (NA) & 3 KW 230V (EU) Controller GECKO IN.YE-6 NA / IN.YE5 EU
Pump #1:	North America (60 Hz): 1- SP, 4 HP, AMPs – 12.0 (6505155) Europe (50 Hz): 1- SP, 3 HP, AMPs – 10.0 (6510039)
Pump #2:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Circulation Pump:	North America (60 Hz): 1- Speed, 1/12 HP, AMPs 0.65 (6505147) Europe (50 Hz): 1- Speed, 1/15 HP, AMPs 0.66 (6510043)
Therapy Jets:	5- CLUSTERSTORM JET- DIRECTIONAL (6015050) , 5- CLUSTERSTORM JET- TWIN ROTO (6015053) , 2- MINISTORM JET – DIRECTIONAL (6020069) , 2- MINISTORM JET - MULTI-MASSAGE (6020070) , 3- MINISTORM JET – GALAXY (6020071) , 2- MINISTORM JET - PULSE MASSAGE (6020072) , 4- POLYSTORM JET – RIFLED (6030064) , 2- POLYSTORM JET – PULSE MASSAGE (6030065) ,
Swim Jet:	4- POLYSTORM JET – TWIN ROTO (6030066) , 2- MONSOON (WHIRLPOOL) JET – (6035066) , 3- POWERSTORM (OVAL) JET – (6035073)
Air Controls:	(3) - Air Control (4525089)
Diverter:	(2) - 2" Water Diverter (4525091)
Filters:	(1) - 75 SQ. FT Filter (4520008)






Specification

Seating Capacity	4 Person
Dimensions	174" X 93" X 52.75" / (442 cm X 236 cm X 134 cm)
Useable Swim Area Dimensions	117" or 297 cm
Dry Weight	2,500 lbs / 1134 kg
Filled Weight (Spa Volume)	18,413 lbs / 8,354 kg
Water Capacity (Spa Volume)	1,900 US gallons / 7,220 L
Electronic Controls	IN-K1000 SS Keypad (25 FOOT)
Pump 1	North America (60 Hz): 1- Speed, 4 HP, AMPS 12.0 Europe (50 Hz): 1- Speed, 3 HP, AMPS 10.0
Pump 2	North America (60 Hz): 1- Speed, 5 HP, AMPS 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPS 12.7
Pump 3	North America (60 Hz): 1- Speed, 5 HP, AMPS 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPS 12.7
Circulating Pump	North America (60 Hz): 1- Speed, 1/12 HP, AMPS 0.65 Europe (50 Hz): 1- Speed, 1/15 HP, AMPS 0.66
Total Seat Jets	29
Seat A Jets	(1)-6015050; (2)-6030064; (2)-6030065; (2)-6030066;(2)-6015053
Seat B Jets	(2)-6015050; (2)-6030064; (2)-6030066;(2)-6015053
Seat C Jets	(2)-6020070; (1)-6020071; (1)-6015053
Seat D Jets	(2)-6015050; (2)-6020069; (2)-6020071; (2)-6020072
Massage Selectors	YES
Air Controls	3
Water Management System	Pure Water System
LED Lighting	(1)-20 LED Large Light; (1)- Self Clean Plate
Synthetic Cabinet Colours	Driftwood, Midnight
Acrylic Colours	Silver Marble, Alpine Mist, Pure White
Headrests	(2)- Hydro fall Pillows; (2)- Small Wrap Pillow
Waterfalls	YES
Electrical Requirements	North America (60 Hz): 240 V,48 AMPS GFCI RATED: 60 AMPS Europe (50 Hz):230V, 28A or suitably rated circuit breaker to comply with local electrical codes. GFCI RATED:40 AMPS. RCD breakers with MC.
Warranty	10/5/3 Year limited
Options/ Special Features	<p>1) Fitness and Fun:</p> <ul style="list-style-type: none"> • Aqua Rowing Kit • HP Cross Training Fitness Kit • 48" Stainless Steel Exercise Bar (Left Side Only) <p>2)Covers:</p> <ul style="list-style-type: none"> • Safety Insulating Cover • Summer Cover with Tie Downs • Bi-Fold Cover Option • Rollaway Cover • Bracket for Rollaway Cover • Cover Remover (Standard) • Cover Remover Plus (Hydraulic) <p>3)Hydrotherapy & Swim:</p> <ul style="list-style-type: none"> • Hydro Flex Air Therapy System- Heated** • White Water System** <p>(**Both System cannot be ordered on the same Swim Spa due to amperage Demand)</p> <p>4)Cabinet:</p> <ul style="list-style-type: none"> • Replace Cabinet add Solid State Frame <p>5)Bellagio Package Includes:</p> <ul style="list-style-type: none"> • Bellagio Hydro falls • Northern Lights + 2 LEDS <p>6)Heating Options:</p> <ul style="list-style-type: none"> • Auxiliary Heating System By-pass Loop • Additional Heating (Optional on all Swim Spa) <p>7)Other Popular Upgrades & Options:</p> <ul style="list-style-type: none"> • GFCI Including Subpanel • Tether Cord (Optional on all Swim Spa) • I Command System • Form Goggles • Northern Lights + 2 LEDS • EZ- Pure Ozonator (Must delete Pure Water) • 5 Tier Aqua Step





Massage Selector/Air Control Diagram



ACP- Air controller Pump
 BJ- Buoyancy Jet
 HFPC- Hydro fall Pillow Control


Seat Depth

A = 27.625" (70.17cm)

C = 28.50" (72.39cm)

B = 25.00" (63.50cm)




D = 25.00" (63.50cm)




LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE ±1/16" (0.158CM)



Dimensions



IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking



NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/- 1/4"



HYDROPOOL –14AX AQUA TRAINER SWIM SPA



Year:	2023
Model:	HydroPool 14AX Aqua Trainer Swim Spa
Size:	174" X 93" X 52.75" / (442 cm X 236 cm X 134 cm)
Series:	HydroPool Aqua Trainer Series
Main Keypad:	IN. K1000 SS Keypad overlay (7005089)
Spa Pack and Heater:	Heater: 4KW & 4 KW 240 V (NA) , 4 & 3 KW 230V (EU) Controller GECKO IN.YE6 NA / IN.YE5 EU
Pump #1:	North America (60 Hz): 1- SP, 4 HP, AMPs – 12.0 (6505155) Europe (50 Hz): 1- SP, 3 HP, AMPs – 10.0 (6510039)
Pump #2:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Pump #3:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Circulation Pump:	North America (60 Hz): 1- Speed, 1/12 HP, AMPs 0.65 (6505147) Europe (50 Hz): 1- Speed, 1/15 HP, AMPs 0.66 (6510043)
Therapy Jets:	5- CLUSTERSTORM JET- DIRECTIONAL (6015050) , 5- CLUSTERSTORM JET- TWIN ROTO (6015053) , 2- MINISTORM JET – DIRECTIONAL (6020069) , 2- MINISTORM JET - MULTI-MASSAGE (6020070) , 3- MINISTORM JET – GALAXY (6020071) , 2- MINISTORM JET - PULSE MASSAGE (6020072) , 4- POLYSTORM JET – RIFLED (6030064) , 2- POLYSTORM JET – PULSE MASSAGE (6030065) , 4- POLYSTORM JET – TWIN ROTO (6030066) ,
Swim Jets:	4- POWERSTORM (ROUND) JET – (6035072) , 1- POWERSTORM (OVAL) JET – (6035073) 2- WIDESTREAM SWIM JET- (6045010)
Air Controls:	(3) - Air Control (4525089)
Diverter:	(2) - 2" Water Diverter (4525091)
Filters:	(1) - 75 SQ. FT Filter (4520008)






Specification

Seating Capacity	5 Person
Dimensions	210" X 93" X 52.75" / (533 cm X 236 cm X 134 cm)
Useable Swim Area Dimensions	153" or 389 cm
Dry Weight	2,700 lbs / 1,225 kg
Filled Weight (Spa Volume)	22,800 lbs / 10,362 kg
Water Capacity (Spa Volume)	2,400 US gallons / 9,170 L
Electronic Controls	IN-K1000 SS Keypad (25 FOOT)
Pump 1	North America (60 Hz): 1- Speed, 4 HP, AMPS 12.0 Europe (50 Hz): 1- Speed, 3 HP, AMPS 10
Pump 2	North America (60 Hz): 1- Speed, 5 HP, AMPS 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPS 12.7
Circulating Pump	North America (60 Hz): 1- Speed, 1/12 HP, AMPS 0.65 Europe (50 Hz): 1- Speed, 1/15 HP, AMPS 0.66
Total Seat Jets	31
Seat A Jets	(14)-6015050; (2)-6020069
Seat B Jets	(2)-6015050; (2)-6030064; (2)-6030066
Seat C Jets	(1)-6015050; (2)-6030064; (2)-6030065; (2)-6030066
Seat D Jets	(1)-6020072; (1)-6020069
Massage Selectors	YES
Air Controls	3
Water Management System	Pure Water System
LED Lighting	(1)-20 LED Large Light; (1)- Self Clean Plate
Synthetic Cabinet Colours	Driftwood, Midnight
Acrylic Colours	Silver Marble, Alpine Mist, Pure White
Headrests	(2)- 8" Pillow Waterfall Assembly
Waterfalls	YES
Electrical Requirements	North America (60 Hz): 240 V,40 AMPS GFCI RATED: 50 AMPS Europe (50 Hz):230V, 28A or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC.
Warranty	10/5/3 Year limited
Options/ Special Features	<p>1) Fitness and Fun:</p> <ul style="list-style-type: none"> • Aqua Rowing Kit • HP Cross Training Fitness Kit • 48" Stainless Steel Exercise Bar (Left Side Only) <p>2)Covers:</p> <ul style="list-style-type: none"> • Safety Insulating Cover • Summer Cover with Tie Downs • Bi-Fold Cover Option • Rollaway Cover • Bracket for Rollaway Cover • Cover Remover (Standard) • Cover Remover Plus (Hydraulic) <p>3)Hydrotherapy & Swim:</p> <ul style="list-style-type: none"> • Hydro Flex Air Therapy System- Heated** • White Water System** <p>(**Both System cannot be ordered on the same Swim Spa due to amperage Demand)</p> <p>4)Cabinet:</p> <ul style="list-style-type: none"> • Replace Cabinet add Solid State Frame <p>5)Bellagio Package Includes:</p> <ul style="list-style-type: none"> • Bellagio Hydro falls • Northern Lights + 2 LEDS <p>6)Heating Options:</p> <ul style="list-style-type: none"> • Auxiliary Heating System By-pass Loop • Additional Heating (Optional on all Swim Spa) <p>7)Other Popular Upgrades & Options:</p> <ul style="list-style-type: none"> • GFCI Including Subpanel • Tether Cord (Optional on all Swim Spa) • I Command System • Form Goggles • Northern Lights + 2 LEDS • EZ- Pure Ozonator (Must delete Pure Water) • 5 Tier Aqua Step






Massage Selector/Air Control Diagram



ACP- Air controller Pump
 BJ- Buoyancy Jet
 HFPC- Hydro Fall Pillow Control

Seat Depth




A = 27.625" (70.17cm) C = 25.00" (63.50cm)
 B = 25.00" (63.50cm) D = 25.00" (63.50cm)




LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE ±1/16" (0.158CM)



Dimensions



IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking



NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/- 1/4"



HYDROPOOL –17AX AQUA SPORT SWIM SPA



Year:	2023
Model:	HydroPool 17AX Aqua Sport Swim Spa
Size:	210" X 93" X 52.75" / (533 cm X 236 cm X 134 cm)
Series:	HydroPool Aqua Sport Series
Main Keypad:	IN. K1000 SS Keypad (7005089)
Spa Pack and Heater:	Heater: 4 KW 240 V (NA) & 3 KW 230V (CE) Controller GECKO IN.YE-6 NA / IN.YE-5 EU
Pump #1:	North America (60 Hz): 1- SP, 4 HP, AMPs – 12.0 (6505155) Europe (50 Hz): 1- SP, 3 HP, AMPs – 10 (6510039)
Pump #2:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Circulation Pump:	North America (60 Hz): 1- Speed, 1/12 HP, AMPs 0.65 (6505147) Europe (50 Hz): 1- Speed, 1/15 HP, AMPs 0.66 (6510043)
Therapy Jets:	19- CLUSTERSTORM JET- DIRECTIONAL (6015050) , 3- MINISTORM JET – DIRECTIONAL (6020069) , 1- MINISTORM JET – PULSE MASSAGE (6020072) , 5- POLYSTORM JET – RIFLED (6030064) , 2- POLYSTORM JET – PULSE MASSAGE (6030065) , 4- POLYSTORM JET – TWIN ROTO (6030066) ,
Swim Jets:	2- MONSOON (WHIRLPOOL) JET – (6035066) , 3- POWERSTORM (OVAL) JET – (6035073)
Air Controls:	(3) - Air Control (4525089)
Diverter:	(2) - 2" Water Diverter (4525091)
Filters:	(1) - 75 SQ. FT Filter (4520008)






Specification

Seating Capacity	5 Person
Dimensions	210" X 93" X 52.75" / (533 cm X 236 cm X 134 cm)
Useable Swim Area Dimensions	153" or 389 cm
Dry Weight	2,700 lbs / 1,225 kg
Filled Weight (Spa Volume)	22,800 lbs / 10,362 kg
Water Capacity (Spa Volume)	2,400 US gallons / 9,170 L
Electronic Controls	IN-K1000 SS Keypad (25 FOOT)
Pump 1	North America (60 Hz): 1- Speed, 4 HP, AMPs 12.0 Europe (50 Hz): 1- Speed, 3 HP, AMPs 10.0
Pump 2	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7
Pump 3	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7
Circulating Pump	North America (60 Hz): 1- Speed, 1/12 HP, AMPs 0.65 Europe (50 Hz): 1- Speed, 1/15 HP, AMPs 0.66
Total Seat Jets	31
Seat A Jets	(14)-6015050; (2)-6020069
Seat B Jets	(2)-6015050; (2)-6030064; (2)-6030066
Seat C Jets	(1)-6015050; (2)-6030064; (2)-6030065; (2)-6030066
Seat D Jets	(1)-6020072; (1)-6020069
Massage Selectors	YES
Air Controls	2
Water Management System	Pure Water System
LED Lighting	(3)-20 LED Large Light; (1)- Self Clean Plate
Synthetic Cabinet Colours	Driftwood, Midnight
Acrylic Colours	Silver Marble, Alpine Mist, Pure White
Headrests	(2)- 8" Pillow Waterfall Assembly
Waterfalls	YES
Electrical Requirements	North America (60 Hz): 240 V,48 AMPs GFCI RATED: 60 AMPs Europe (50 Hz):230V, 28A or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC.
Warranty	10/5/3 Year limited
Options/ Special Features	<p>1) Fitness and Fun:</p> <ul style="list-style-type: none"> • Aqua Rowing Kit • HP Cross Training Fitness Kit • 48" Stainless Steel Exercise Bar (Left Side Only) <p>2)Covers:</p> <ul style="list-style-type: none"> • Safety Insulating Cover • Summer Cover with Tie Downs • Bi-Fold Cover Option • Rollaway Cover • Bracket for Rollaway Cover • Cover Remover (Standard) • Cover Remover Plus (Hydraulic) <p>3)Hydrotherapy & Swim:</p> <ul style="list-style-type: none"> • Hydro Flex Air Therapy System- Heated** • White Water System** <p>(**Both System cannot be ordered on the same Swim Spa due to amperage Demand)</p> <p>4)Cabinet:</p> <ul style="list-style-type: none"> • Replace Cabinet add Solid State Frame <p>5)Bellagio Package Includes:</p> <ul style="list-style-type: none"> • Bellagio Hydro falls • Northern Lights + 2 LEDS <p>6)Heating Options:</p> <ul style="list-style-type: none"> • Auxiliary Heating System By-pass Loop • Additional Heating (Optional on all Swim Spa) <p>7)Other Popular Upgrades & Options:</p> <ul style="list-style-type: none"> • GFCI Including Subpanel • Tether Cord (Optional on all Swim Spa) • I Command System • Form Goggles • Northern Lights + 2 LEDS • EZ- Pure Ozonator (Must delete Pure Water) • 5 Tier Aqua Step






Massage Selector/Air Control Diagram



ACP- Air controller Pump
 BJ- Buoyancy Jets
 HFPC- Hydro Fall Pillow control

Seat Depth





A = 27.625" (70.17cm) C = 25.00" (63.50cm)
 B = 25.00" (63.50cm) D = 25.00" (63.50cm)




LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE ±1/16" (0.158CM)



Dimensions



IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking



NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/-1/4"



HYDROPOOL –17AX AQUA TRAINER SWIM SPA



Year:	2023
Model:	HydroPool 17AX Aqua Trainer Swim Spa
Size:	210" X 93" X 52.75" / (533 cm X 236 cm X 134 cm)
Series:	HydroPool Aqua Trainer Series
Main Keypad:	IN. K1000 SS Keypad (7005089)
Spa Pack and Heater:	Heater: 4KW & 4 KW 240 V (NA), 4 & 3 KW 230V (EU) Controller GECKO IN.YE-6 NA / IN.YE-5 EU
Pump #1:	North America (60 Hz): 1- SP, 4 HP, AMPs – 12.0 (6505161) Europe (50 Hz): 1- SP, 3 HP, AMPs – 10 (6510039)
Pump #2:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Pump #3:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Circulation Pump:	North America (60 Hz): 1- Speed, 1/12 HP, AMPs 0.65 (6505147) Europe (50 Hz): 1- Speed, 1/15 HP, AMPs 0.66 (6510043)
Therapy Jets:	17- CLUSTERSTORM JET- DIRECTIONAL (6015050) , 3- MINISTORM JET – DIRECTIONAL (6020069) , 1- MINISTORM JET – PULSE MASSAGE (6020072) , 4- POLYSTORM JET – RIFLED (6030064) , 2- POLYSTORM JET – PULSE MASSAGE (6030065) , 4- POLYSTORM JET – TWIN ROTO (6030066) ,
Swim Jets:	4- POWERSTREAM (ROUND) JET – (6035072) , 3- POWERSTORM (OVAL) JET – (6035073) , 2- WIDESTREAM SWIM JET – (6045010)
Air Controls:	(3) - Air Control (4525089)
Diverter:	(1) - 2" Water Diverter (4525091)
Filters:	(1) - 75 SQ. FT Filter (4520008)






Specification

Seating Capacity	5 Person
Dimensions	226" X 93" X 53" / (574 cm X 236 cm X 134 cm)
Useable Swim Area Dimensions	124" or 314.96 cm
Dry Weight	3,060 lbs / 1,388 kg
Filled Weight (Spa Volume)	21,317 lbs / 9,672 kg
Water Capacity (Spa Volume)	1,762 US gallons / 6,670 L
Water Capacity (Hot tub Volume)	315 US gallons / 1,192 L
Electronic Controls	IN-K1000 SS Keypad (25 FOOT)
Pump 1	North America (60 Hz): 1- Speed, 3 HP, AMPs 10.0 Europe (50 Hz): 1- Speed, 2.5 HP, AMPs 8.6
Pump 2	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7
Pump 1- DT Spa Side	North America (60 Hz): 2- Speed, 4 HP, AMPs 12.0/1.0 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0
Circulation Pump	North America (60 Hz): 1- Speed, 1/12 HP, AMPs 0.65 Europe (50 Hz): 1- Speed, 1/15 HP, AMPs 0.66
Total Seat Jets	38
Seat A Jets	(14)-6015050
Seat B&C Jets	(2)-6030064
Seat D Jets	(4)-6015050; (8)-6015053
Seat E Jets	(2)-6030064; (2)-6030065; (2)-6030064
Footwell	(2)-6015050; (1)-6035061; (1)-6015053
Massage Selectors	YES
Air Controls	3
Water Management System	Pure Water System
LED Lighting	(2)-20 LED Large Light; (2)- Self Clean Plate
Synthetic Cabinet Colours	Driftwood, Midnight
Acrylic Colours	Silver Marble, Alpine Mist, Pure Mist
Headrests	(2)- 8" Pillow Waterfall Assembly; (2)- Small Wrap Pillows
Waterfalls	YES
Electrical Requirements	North America (60 Hz): 240 V,40 AMPs & Spa- 32 Amps. GFCI RATED: 50 AMPs & Spa- 40 AMPs Europe (50 Hz):230V, 28A & Spa- 14A or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC.
Warranty	10/5/3 Year limited
Options/ Special Features	<p>1) Fitness and Fun:</p> <ul style="list-style-type: none"> • Aqua Rowing Kit • HP Cross Training Fitness Kit • 48" Stainless Steel Exercise Bar (Left Side Only) <p>2)Covers:</p> <ul style="list-style-type: none"> • Safety Insulating Cover • Summer Cover with Tie Downs • Bi-Fold Cover Option • Rollaway Cover • Bracket for Rollaway Cover • Cover Remover (Standard) • Cover Remover Plus (Hydraulic) <p>3)Hydrotherapy & Swim:</p> <ul style="list-style-type: none"> • Hydro Flex Air Therapy System- Heated** • White Water System** <p>(**Both System cannot be ordered on the same Swim Spa due to amperage Demand)</p> <p>4)Cabinet:</p> <ul style="list-style-type: none"> • Replace Cabinet add Solid State Frame <p>5)Bellagio Package Includes:</p> <ul style="list-style-type: none"> • Bellagio Hydro falls • Northern Lights + 2 LEDS <p>6)Heating Options:</p> <ul style="list-style-type: none"> • Auxiliary Heating System By-pass Loop • Additional Heating (Optional on all Swim Spa) <p>7)Other Popular Upgrades & Options:</p> <ul style="list-style-type: none"> • GFCI Including Subpanel • Tether Cord (Optional on all Swim Spa) • I Command System; • EZ- Pure Ozonator (Must delete Pure Water) • Form Goggles; • 5 Tier Aqua Step • Northern Lights + 2 LEDS





Massage Selector/Air Control Diagram



ACP- Air controller Pump
 BJ- Buoyancy Jets
 HFPC- Hydro Fall Pillow Control

Seat Depth

A = 27.625" (70.17cm) C = 25.00" (63.50cm) E = 25.00" (63.50cm)




B = 25.00" (63.50cm) D = 25.00" (63.50cm)




LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE ±1/16" (0.158CM)



Dimensions



IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking



NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/- 1/4"



HYDROPOOL –19DTAX AQUA SPORT SWIM SPA



Year:	2023
Model:	HydroPool 19DTAX Aqua Sport Swim Spa
Size:	226" X 93" X 53" / (574 cm X 226 cm X 134 cm)
Series:	HydroPool Aqua Sport Series
Main Keypad:	IN. K1000 SS Keypad (7005089)
Spa Pack and Heater:	Heater: 4 KW 240 V (NA) & 3 KW 230V (EU) Controller GECKO IN.YE-6 & YE-0 NA / IN.YE-5 & IN.YE-0 EU
Pump #1:	North America (60 Hz): 1- SP, 3 HP, AMPs – 10.0 (6505155) Europe (50 Hz): 1- SP, 2.5 HP, AMPs – 8.6 (6510039)
Pump #2:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Pump 1-DT Spa Side:	North America (60 Hz): 2- Speed, 4 HP, AMPs 12.0/1.0 (6505155) Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0 (6510041)
Circulation Pump:	North America (60 Hz): 1- Speed, 1/12 HP, AMPs 0.65 (6505147) Europe (50 Hz): 1- Speed, 1/15 HP, AMPs 0.66 (6510043)
Therapy Jets:	21- CLUSTERSTORM JET- DIRECTIONAL (6015050) , 8- CLUSTERSTORM JET- TWIN ROTO (6015053) , 5- POLYSTORM JET – RIFLED (6030064) , 2- POLYSTORM JET – PULSE MASSAGE (6030065) , 2- POLYSTORM JET – TWIN ROTO (6030066) , 1- POWERSTORM JET – DIRECTIONAL (6035061)
Swim Jets:	2- MONSOON (WHIRLPOOL) JET – (6035066) , 3- POWERSTORM (OVAL) JET – (6035073)
Air Controls:	(3) - Air Control (4525089)
Diverter:	(1) - 2" Water Diverter (4525091) ; (1)-1" Water Diverter (4525132)
Filters:	(2) - 75 SQ.FT Filter (4520008)






Specification

Seating Capacity	7 Person
Dimensions	226" X 93" X 53" / (574 cm X 226 cm X 134 cm)
Useable Swim Area Dimensions	124" or 314.96 cm
Dry Weight	3,060 lbs / 1,388 kg
Filled Weight (Spa Volume)	21,317 lbs / 9,672 kg
Water Capacity (Spa Volume)	1,762 US gallons / 6,670 L
Water Capacity (Hot tub Volume)	315 US gallons / 1,192 L
Electronic Controls	IN-K1000 SS Keypad (25 FOOT)
Pump 1	North America (60 Hz): 1- Speed, 3 HP, AMPS 10.0 Europe (50 Hz): 1- Speed, 2.5 HP, AMPS 8.6
Pump 2	North America (60 Hz): 1- Speed, 5 HP, AMPS 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPS 12.7
Pump 3	North America (60 Hz): 1- Speed, 5 HP, AMPS 15.0 Europe (50 Hz): 1- Speed, 4 HP, AMPS 12.7
Pump 1- DT Spa Side	North America (60 Hz): 2- Speed, 4 HP, AMPS 12.0/1.0 Europe (50 Hz): 2- Speed, 3 HP, AMPS 10.0/3.0
Circulating Pump	North America (60 Hz): 1- Speed, 1/12 HP, AMPS 0.65 Europe (50 Hz): 1- Speed, 1/15 HP, AMPS 0.66
Total Seat Jets	47
Seat A Jets	(14)-6015050
Seat B&C Jets	(2)-6030064
Seat D Jets	(4)-6015050; (8)-6015053
Seat E Jets	(2)-6030064; (2)-6030065; (2)-6030066
Footwell	(1)-6015050; (1)-6035061; (2)-6015053
Massage Selectors	YES
Air Controls	3
Water Management System	Pure Water System
LED Lighting	(2)-20 LED Large Light; (2)- Self Clean Plate
Synthetic Cabinet Colours	Driftwood, Midnight
Acrylic Colours	Silver Marble, Alpine Mist, Pure White
Headrests	(2)- 8" Pillow Waterfall Assembly; (2)- Small Wrap Pillows
Waterfalls	YES
Electrical Requirements	North America (60 Hz): 240 V,48 AMPS GFCI RATED: 60 AMPS Europe (50 Hz):230V, 28A or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC.
Warranty	10/5/3 Year limited
Options/ Special Features	<p>1) Fitness and Fun:</p> <ul style="list-style-type: none"> • Aqua Rowing Kit • HP Cross Training Fitness Kit • 48" Stainless Steel Exercise Bar (Left Side Only) <p>2)Covers:</p> <ul style="list-style-type: none"> • Safety Insulating Cover • Summer Cover with Tie Downs • Bi-Fold Cover Option • Rollaway Cover • Bracket for Rollaway Cover • Cover Remover (Standard) • Cover Remover Plus (Hydraulic) <p>3)Hydrotherapy & Swim:</p> <ul style="list-style-type: none"> • Hydro Flex Air Therapy System- Heated** • White Water System** <p>(**Both System cannot be ordered on the same Swim Spa due to amperage Demand)</p> <p>4)Cabinet:</p> <ul style="list-style-type: none"> • Replace Cabinet add Solid State Frame <p>5)Bellagio Package Includes:</p> <ul style="list-style-type: none"> • Bellagio Hydro falls • Northern Lights + 2 LEDS <p>6)Heating Options:</p> <ul style="list-style-type: none"> • Auxiliary Heating System By-pass Loop • Additional Heating (Optional on all Swim Spa) <p>7)Other Popular Upgrades & Options:</p> <ul style="list-style-type: none"> • GFCI Including Subpanel • Tether Cord (Optional on all Swim Spa) • I Command System ; • Form Goggles





Massage Selector/Air Control Diagram



ACP- Air controller Pump
 BJ- Buoyancy Jets
 HFPC- Hydro Fall Pillow Control

Seat Depth

A = 27.625" (70.17cm) C = 25.00" (63.50cm) E = 25.00" (63.50cm)




B = 25.00" (63.50cm) D = 25.00" (63.50cm)




LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE ±1/16" (0.158CM)



Dimensions



IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking



NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/- 1/4"



HYDROPOOL – 19DTAX AQUA TRAINER SWIM SPA



Year:	2023
Model:	HydroPool 19DTAX Aqua Trainer Swim Spa
Size:	226" X 93" X 53" / (574 cm X 226 cm X 134 cm)
Series:	HydroPool Aqua Trainer Series
Main Keypad:	IN. K1000 SS Keypad (7005089)
Spa Pack and Heater:	Heater: 4KW & 4 KW 240 V (NA), 4 & 3 KW 230V (EU) Controller GECKO IN.YE-6 NA / IN.YE-5 EU
Pump #1:	North America (60 Hz): 1- SP, 3 HP, AMPs – 10.0 (6505161) Europe (50 Hz): 1- SP, 2.5 HP, AMPs – 8.6 (6510039)
Pump #2:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Pump #3:	North America (60 Hz): 1- Speed, 5 HP, AMPs 15.0 (6505149) Europe (50 Hz): 1- Speed, 4 HP, AMPs 12.7 (6510044)
Pump 1-DT Spa Side:	North America (60 Hz): 2- Speed, 4 HP, AMPs 12.0/1.0 (6505155) Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0 (6510041)
Circulation Pump:	North America (60 Hz): 1- Speed, 1/12 HP, AMPs 0.65 (6505143) Europe (50 Hz): 1- Speed, 1/15 HP, AMPs 0.66 (6510043)
Therapy Jets:	21- CLUSTERSTORM JET- DIRECTIONAL (6015050) , 8- CLUSTERSTORM JET- TWIN ROTO (6015053) , 5- POLYSTORM JET – RIFLED (6030064) , 2- POLYSTORM JET – PULSE MASSAGE (6030065) , 2- POLYSTORM JET – TWIN ROTO (6030066) , 1- POWERSTORM JET – DIRECTIONAL (6035061) 2- MONSOON (WHIRLPOOL) JET – (6035066) ,
Swim Jets:	4- POWERSTORM (ROUND) JET – (6035072) , 3- POWERSTORM (OVAL) JET – (6035073) , 2- WIDESTREAM SWIM JET – (6045010)
Air Controls:	(3) - Air Control (4525089)
Diverter:	(1) - 2" Water Diverter (4525091)
Filters:	(2) - 75 SQ.FT Filters (4520008)

