

SPECIFICATIONS

| | |
|--|---|
| Seating: | 3-4 Person |
| Dimensions in inches: | 85" X 62" X 36.4" |
| Dimensions in centimeters: | 216 cm x 157 cm x 92.5 cm |
| Dry Weight: | 526lbs / 239 kg |
| Filled Weight (Spa Volume): | 2,564lbs / 1,163kg |
| Water Capacity (Spa Volume): | 243 US gallons / 925 L |
| Electronic Controls: | GECKO K336 Spa Keypad (7005123) |
| Massage Selectors: | 0 |
| Air Controls: | 1 |
| Water Management System: | (2) 50 SQ FT threaded filters (1 with integrated brominator) |
| LED Lighting: | (1) Large LED lens with 20 LED lights |
| Dura Synthetic Cabinet Options: | Harbor Grey & Driftwood Grey |
| Acrylic Options: | Black Opal, Midnight Canyon, Misty Mountain, Pure White & Silver Marble |
| Headrests: | (4) Tri-Curve Pillows (8515099) |
| Electrical Requirements: | North America (60 Hz): 240 Volts, 32 Amps GFCI RATED: 40 Amps Europe (50 Hz): 230 Volts, 16 Amps (or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC |
| Warranty: | 10/5/3 Year Limited |



OPTIONS & SPECIAL FEATURES

MOONFALL PACKAGE INCLUDES:

- Aquablade Waterfalls
- Serenity Moonlights
- Illuminated Top Valve Deck Controls

COVERS:

- Opposite Fold Hardcovers
- Cover Remover Standard
- Cover Remover Low Profile (Undermount)
- Cover Remover Plus (Hydraulic)


OTHER POPULAR UPGRADES & OPTIONS:

- Smart Tub Package
- Two Tier Universal Step
- Pure Water System



MASSAGE SELECTOR/AIR CONTROL DIAGRAM

2026 SERENITY 4300
(31 Therapy Jets)



Seat Depth:

- A = 26.51" (67.34 cm)
- B = 26.54" (67.41 cm)
- C = 25.98" (65.99 cm)
- D = 25.98" (65.99 cm)

LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE ±1/4" (0.64 CM)

PUMPS AND JETS

- Pump 1**
North America (60 Hz): 2SP, 4HP, 12.0/1.0 AMPS **(6505155)**
Europe (50 Hz): 2SP, 3HP, 10.0/1.0 AMPS **(6510049)**
- Pump 2**
N/A
- Air Control:** (1) – 1" Air Control **(4525235)**
- On / Off Control:**
- 1 – 1" On/Off Valve Wall Fitting **(4525236)**
 - 1 – 1" On/Off Valve Stem Assembly **(4525237)**
- Filters:** **(1)** 50 SQ FT Threaded **(4520062)**
(1) 50 SQ FT Threaded with brominator **(4520063)**
- 31 Total Therapy Jets:**
- 15 – 2" DIRECTIONAL **(6015099)**
 - 1 – 2" MULTI ROTO **(6015101)**
 - 4 – 1" OZONE CLUSTER **(6015103)**
 - 2 – 3" DIRECTIONAL **(6020099)**
 - 3 – 3" MASSAGE **(6020100)**
 - 2 – 3" MULTI ROTO **(6020101)**
 - 2 – 4 3/8" DOUBLE ROTO **(6030088)**
 - 2 – 4 3/8" VORTEX **(6030093)**
- Spa Pack and Heater:**
- Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)
 - Controller: GECKO IN.YE-3-V3 (NA/EU)



SPECIFICATIONS

- Seating:** 4-5 Person
- Dimensions in inches:** 80" X 80" X 36.4"
- Dimensions in centimeters:** 203 cm x 203 cm x 92.5 cm
- Dry Weight:** 585 lbs / 265 kg
- Filled Weight (Spa Volume):** 3,176lbs / 1,441kg
- Water Capacity (Spa Volume):** 309 US gallons / 1,176 L
- Electronic Controls:** GECKO K336 Spa Keypad **(7005123)**
- Massage Selectors:** 0
- Air Controls:** 1
- Water Management System:** (2)50 SQ FT threaded filters
(1 with integrated brominator)
- LED Lighting:** (1) Large LED lens with 20 LED lights
- Dura Synthetic Cabinet Options:** Harbor Grey & Driftwood Grey
- Acrylic Options:** Black Opal, Midnight Canyon, Misty Mountain, Pure White & Silver Marble
- Headrests:** (3) Tri-Curve Pillows **(8515099)**
- Electrical Requirements:** **North America (60 Hz):**
240 Volts, 32 Amps
GFCI RATED: 40 Amps
Europe (50 Hz):
230 Volts, 16 Amps
(or suitably rated circuit breaker to comply with local electrical codes.
RCD breakers with MC
- Warranty:** 10/5/3 Year Limited



OPTIONS & SPECIAL FEATURES

MOONFALL PACKAGE INCLUDES:

- Aquablade Waterfalls
- Serenity Moonlights
- Illuminated Top Valve Deck Controls

COVERS:


- Custom Hydrowise Insulating Cover Colour
- Cover Remover Standard
- Cover Remover Low Profile (Undermount)
- Cover Remover Plus (Hydraulic)

OTHER POPULAR UPGRADES & OPTIONS:

- Smart Tub Package
- Two Tier Universal Step
- Pure Water System



MASSAGE SELECTOR/AIR CONTROL DIAGRAM



LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE ±1/4" (0.64 CM)

PUMPS AND JETS

- Pump 1**
North America (60 Hz): 2SP, 4HP, 12.0/1.0 AMPS **(6505155)**
Europe (50 Hz): 2SP, 3HP, 10.0/1.0 AMPS **(6510049)**
- Pump 2**
N/A
- Air Control:** (1) – 1" Air Control **(4525235)**
- On / Off Control:**
1 – 1" On/Off Valve Wall Fitting **(4525236)**
1 – 1" On/Off Valve Stem Assembly **(4525237)**
- Filters:** **(1)** 50 SQ FT Threaded **(4520062)**
(1) 50 SQ FT Threaded with brominator **(4520063)**
- 33 Total Therapy Jets:**
11 – 2" DIRECTIONAL **(6015099)**
8 – 1" OZONE CLUSTER **(6015103)**
3 – 3" DIRECTIONAL **(6020099)**
1 – 3" MULTI ROTO **(6020101)**
4 – 4 3/8" DOUBLE ROTO **(6030088)**
2 – 4 3/8" MASSAGE **(6030091)**
4 – 4 3/8" VORTEX **(6030093)**
- Spa Pack and Heater:**
Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)
Controller: GECKO IN.YE-3-V3 (NA/EU)



SPECIFICATIONS

- Seating:** 4-5 Person
- Dimensions in inches:** 80" X 80" X 36.4"
- Dimensions in centimeters:** 203 cm x 203 cm x 92.5 cm
- Dry Weight:** 585lbs / 265 kg
- Filled Weight (Spa Volume):** 3,176lbs / 1,441kg
- Water Capacity (Spa Volume):** 309 US gallons / 1,176 L
- Electronic Controls:** GECKO K336 Spa Keypad **(7005123)**
- Massage Selectors:** 0
- Air Controls:** 1
- Water Management System:** (2) 50 SQ FT threaded filters
(1 with integrated brominator)
- LED Lighting:** (1) Large LED lens with 20 LED lights
- Dura Synthetic Cabinet Options:** Driftwood Grey
- Acrylic Options:** Silver Marble
- Headrests:** (3) Tri-Curve Pillows **(8515099)**
- Electrical Requirements:** **North America (60 Hz):**
120 Volts, 12 Amps
GFCI RATED: 15 Amps

- Warranty:** 10/5/3 Year Limited




OPTIONS & SPECIAL FEATURES

OTHER POPULAR UPGRADES & OPTIONS:

- Two Tier Universal Step
- 15 Amp GFCI Cord

MASSAGE SELECTOR/AIR CONTROL DIAGRAM



LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE $\pm 1/4"$ (0.64 CM)

PUMPS AND JETS

Pump 1
North America (60 Hz): 2SP, 1HP, 10.3/3.8 AMPS **(6505156)**

Pump 2
N/A

Air Control: (1) – 1" Air Control **(4525235)**

Filters: **(1)** 50 SQ FT Threaded **(4520062)**
(1) 50 SQ FT Threaded with brominator **(4520063)**

23 Total Therapy Jets:

- 6 – 2" DIRECTIONAL **(6015099)**
- 6 – 1" OZONE CLUSTER **(6015103)**
- 1 – 3" DIRECTIONAL **(6020099)**
- 4 – 4 3/8" DOUBLE ROTO **(6030088)**
- 2 – 4 3/8" MASSAGE **(6030091)**
- 4 – 4 3/8" VORTEX **(6030093)**

Spa Pack and Heater:

- Heater: 1 KW 120 V (NA)
- Controller: GECKO IN.YE-3-V3 (NA)



SPECIFICATIONS

Seating: 5-6 Person
Dimensions in inches: 85.5" X 85.5" X 36.4"
Dimensions in centimeters: 217 cm x 217 cm x 92.5 cm
Dry Weight: 669 lbs / 304 kg
Filled Weight (Spa Volume): 4,048 lbs / 1,837 kg
Water Capacity (Spa Volume): 403 US gallons / 1,533 L
Electronic Controls: GECKO K336 Spa Keypad **(7005123)**
Massage Selectors: 0
Air Controls: 2
Water Management System: (2) 50 SQ FT threaded filters
(1 with integrated brominator)
LED Lighting: (1) Large LED lens with 20 LED lights
Dura Synthetic Cabinet Options: Harbor Grey & Driftwood Grey
Acrylic Options: Black Opal, Midnight Canyon, Misty Mountain, Pure White & Silver Marble
Headrests: (3) Tri-Curve Pillows **(8515099)**
Electrical Requirements: **North America (60 Hz):**
 240 Volts, 40 Amps
 GFCI RATED: 50 Amps
Europe (50 Hz):
 230 Volts, 16 Amps
 (or suitably rated circuit breaker to comply with local electrical codes.
 RCD breakers with MC
Warranty: 10/5/3 Year Limited



OPTIONS & SPECIAL FEATURES

MOONFALL PACKAGE INCLUDES:

Aquablade Waterfalls
 Serenity Moonlights
 Illuminated Top Valve Deck Controls

COVERS:


Custom Hydrowise Insulating Cover Colour
 Cover Remover Standard
 Cover Remover Low Profile (Undermount)
 Cover Remover Plus (Hydraulic)

OTHER POPULAR UPGRADES & OPTIONS:

Smart Tub Package
 Two Tier Universal Step
 Pure Water System



MASSAGE SELECTOR/AIR CONTROL DIAGRAM



LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE ±1/4" (0.64 CM)

PUMPS AND JETS

Pump 1

North America (60 Hz): 2SP, 4HP, 12.0/1.0 AMPS **(6505155)**
Europe (50 Hz): 2SP, 3HP, 10.0/1.0 AMPS **(6510049)**

Pump 2

North America (60 Hz): 1SP, 3HP, 10.0 AMPS **(6505161)**
Europe (50 Hz): 1SP, 3HP, 8.7 AMPS **(6510039)**

Air Control: (2) – 1" Air Control **(4525235)**

On / Off Control:

1 – 1" On/Off Valve Wall Fitting **(4525236)**
1 – 1" On/Off Valve Stem Assembly **(4525237)**

Filters: **(1)** 50 SQ FT Threaded **(4520062)**
(1) 50 SQ FT Threaded with brominator **(4520063)**

49 Total Therapy Jets:

- 19 – 2" DIRECTIONAL **(6015099)**
- 12 – 1" OZONE CLUSTER **(6015103)**
- 6 – 3" DIRECTIONAL **(6020099)**
- 1 – 3" MASSAGE **(6020100)**
- 1 – 3" MULTI ROTO **(6020101)**
- 4 – 4 3/8" DOUBLE ROTO **(6030088)**
- 2 – 4 3/8" MASSAGE **(6030091)**
- 4 – 4 3/8" VORTEX **(6030093)**

Spa Pack and Heater:

Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)
Controller: GECKO IN.YE-3-V3 (NA/EU)



SPECIFICATIONS

- Seating:** 6-7 Person
- Dimensions in inches:** 80" X 80" X 36.4"
- Dimensions in centimeters:** 203 cm x 203 cm x 92.5 cm
- Dry Weight:** 585 lbs / 265 kg
- Filled Weight (Spa Volume):** 3,176 lbs / 1,441 kg
- Water Capacity (Spa Volume):** 309 US gallons / 1,176 L
- Electronic Controls:** GECKO K336 Spa Keypad **(7005123)**
- Massage Selectors:** 0
- Air Controls:** 1
- Water Management System:** (2) 50 SQ FT threaded filters
(1 with integrated brominator)
- LED Lighting:** (1) Large LED lens with 20 LED lights
- Dura Synthetic Cabinet Options:** Harbor Grey & Driftwood Grey
- Acrylic Options:** Black Opal, Midnight Canyon, Misty Mountain, Pure White & Silver Marble
- Headrests:** (4) Tri-Curve Pillows **(8515099)**
- Electrical Requirements:** **North America (60 Hz):**
240 Volts, 32 Amps
GFCI RATED: 40 Amps
Europe (50 Hz):
230 Volts, 16 Amps
(or suitably rated circuit breaker to comply with local electrical codes.
RCD breakers with MC
- Warranty:** 10/5/3 Year Limited



OPTIONS & SPECIAL FEATURES

MOONFALL PACKAGE INCLUDES:

- Aquablade Waterfalls
- Serenity Moonlights
- Illuminated Top Valve Deck Controls

COVERS:

- Custom Hydrowise Insulating Cover Colour
- Cover Remover Standard
- Cover Remover Low Profile (Undermount)
- Cover Remover Plus (Hydraulic)


OTHER POPULAR UPGRADES & OPTIONS:

- Smart Tub Package
- Two Tier Universal Step
- Pure Water System



MASSAGE SELECTOR/AIR CONTROL DIAGRAM

2026 SERENITY 6600
(31 Therapy Jets)



Seat Depth:

- A = 26.15" (66.42 cm)
- B = 25.96" (65.93 cm)
- C = 21.52" (54.66 cm)
- D = 27.75" (70.48 cm)
- E = 21.52" (54.66 cm)
- F = 27.85" (70.73 cm)

LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE ±1/4" (0.64 CM)

PUMPS AND JETS

Pump 1

North America (60 Hz): 2SP, 4HP, 12.0/1.0 AMPS **(6505155)**
Europe (50 Hz): 2SP, 3HP, 10.0/1.0 AMPS **(6510049)**

Pump 2

N/A

Air Control: (1) – 1" Air Control **(4525235)**

On / Off Control:

- 1 – 1" On/Off Valve Wall Fitting **(4525236)**
- 1 – 1" On/Off Valve Stem Assembly **(4525237)**

- Filters:** (1) 50 SQ FT Threaded **(4520062)**
(1) 50 SQ FT Threaded with brominator **(4520063)**

31 Total Therapy Jets:

- 7 – 2" DIRECTIONAL **(6015099)**
- 1 – 2" MULTI ROTO **(6015101)**
- 4 – 3" DIRECTIONAL **(6020099)**
- 4 – 3" MASSAGE **(6020100)**
- 5 – 3" MULTI ROTO **(6020101)**
- 4 – 4 3/8" DOUBLE ROTO **(6030088)**
- 2 – 4 3/8" MASSAGE **(6030091)**
- 4 – 4 3/8" VORTEX **(6030093)**

Spa Pack and Heater:

- Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)
- Controller: GECKO IN.YE-3-V3 (NA/EU)



SPECIFICATIONS

- Seating:** 6-7 Person
- Dimensions in inches:** 80" X 80" X 36.4"
- Dimensions in centimeters:** 203 cm x 203 cm x 92.5 cm
- Dry Weight:** 585 lbs / 265 kg
- Filled Weight (Spa Volume):** 3,176 lbs / 1,441kg
- Water Capacity (Spa Volume):** 309 US gallons / 1,176 L
- Electronic Controls:** GECKO K336 Spa Keypad **(7005123)**
- Massage Selectors:** 0
- Air Controls:** 1
- Water Management System:** (2) 50 SQ FT threaded filters
(1 with integrated brominator)
- LED Lighting:** (1) Large LED lens with 20 LED lights
- Dura Synthetic Cabinet Options:** Driftwood Grey
- Acrylic Options:** Silver Marble
- Headrests:** (4) Tri-Curve Pillows **(8515099)**
- Electrical Requirements:** **North America (60 Hz):**
120 Volts, 12 Amps
GFCI RATED: 15 Amps
- Warranty:** 10/5/3 Year Limited




OPTIONS & SPECIAL FEATURES

OTHER POPULAR UPGRADES & OPTIONS:

- Two Tier Universal Step
- 15 Amp GFCI Cord

MASSAGE SELECTOR/AIR CONTROL DIAGRAM

2026 SERENITY 6610
(23 Therapy Jets)



Seat Depth:

- A = 26.15" (66.42 cm)
- B = 25.96" (65.93 cm)
- C = 21.52" (54.66 cm)
- D = 27.75" (70.48 cm)
- E = 21.52" (54.66 cm)
- F = 27.85" (70.73 cm)

LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE $\pm 1/4"$ (0.64 CM)

PUMPS AND JETS

Pump 1
North America (60 Hz): 2SP, 1HP, 10.3/3.8 AMPS **(6505156)**

Pump 2
N/A

Air Control: (1) – 1" Air Control **(4525235)**

Filters: (1) 50 SQ FT Threaded **(4520062)**
(1) 50 SQ FT Threaded with brominator **(4520063)**

23 Total Therapy Jets:

- 2 – 2" DIRECTIONAL **(6015099)**
- 4 – 3" DIRECTIONAL **(6020099)**
- 4 – 3" MASSAGE **(6020100)**
- 3 – 3" MULTI ROTO **(6020101)**
- 4 – 4 3/8" DOUBLE ROTO **(6030088)**
- 2 – 4 3/8" MASSAGE **(6030091)**
- 4 – 4 3/8" VORTEX **(6030093)**

Spa Pack and Heater:

- Heater: 1 KW 120 V (NA)
- Controller: GECKO IN.YE-3-V3 (NA)



SPECIFICATIONS

Seating: 6-7 Person
Dimensions in inches: 85.5" X 85.5" X 36.4"
Dimensions in centimeters: 217 cm x 217 cm x 92.5 cm
Dry Weight: 655 lbs / 297 kg
Filled Weight (Spa Volume): 3,807 lbs / 1,727 kg
Water Capacity (Spa Volume): 376 US gallons / 1,430 L
Electronic Controls: GECKO K336 Spa Keypad **(7005123)**
Massage Selectors: 0
Air Controls: 2
Water Management System: (2)50 SQ FT threaded filters
(1 with integrated brominator)
LED Lighting: (1) Large LED lens with 20 LED lights
Dura Synthetic Cabinet Options: Harbor Grey & Driftwood Grey
Acrylic Options: Black Opal, Midnight Canyon, Misty Mountain, Pure White & Silver Marble
Headrests: (4) Tri-Curve Pillows **(8515099)**
Electrical Requirements: **North America (60 Hz):**
 240 Volts, 40 Amps
 GFCI RATED: 50 Amps
Europe (50 Hz):
 230 Volts, 16 Amps
 (or suitably rated circuit breaker to comply with local electrical codes.
 RCD breakers with MC
Warranty: 10/5/3 Year Limited



OPTIONS & SPECIAL FEATURES

MOONFALL PACKAGE INCLUDES:

Aquablade Waterfalls
 Serenity Moonlights
 Illuminated Top Valve Deck Controls

COVERS:

Custom Hydrowise Insulating Cover Colour
 Cover Remover Standard
 Cover Remover Low Profile (Undermount)
 Cover Remover Plus (Hydraulic)


OTHER POPULAR UPGRADES & OPTIONS:

Smart Tub Package
 Two Tier Universal Step
 Pure Water System



MASSAGE SELECTOR/AIR CONTROL DIAGRAM

**2026 SERENITY 6800
(49 Therapy Jets)**



Seat Depth:

- A = 26.14" (66.39 cm)
- B = 27.95" (70.99 cm)
- C = 21.54" (54.71 cm)
- D = 26.11" (66.31 cm)
- E = 21.50" (54.61 cm)
- F = 28.00" (71.12 cm)

LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE ±1/4" (0.64 CM)

PUMPS AND JETS

Pump 1

North America (60 Hz): 2SP, 4HP, 12.0/1.0 AMPS **(6505155)**
Europe (50 Hz): 2SP, 3HP, 10.0/1.0 AMPS **(6510049)**

Pump 2

North America (60 Hz): 1SP, 3HP, 10.0 AMPS **(6505161)**
Europe (50 Hz): 1SP, 3HP, 8.7 AMPS **(6510039)**

Air Control: (2) – 1" Air Control **(4525235)**

On / Off Control:

- 1 – 1" On/Off Valve Wall Fitting **(4525236)**
- 1 – 1" On/Off Valve Stem Assembly **(4525237)**

- Filters:** **(1)** 50 SQ FT Threaded **(4520062)**
(1) 50 SQ FT Threaded with brominator **(4520063)**

49 Total Therapy Jets:

- 13 – 2" DIRECTIONAL **(6015099)**
- 1 – 2" MULTI ROTO **(6015101)**
- 8 – 1" OZONE CLUSTER **(6015103)**
- 8 – 3" DIRECTIONAL **(6020099)**
- 4 – 3" MASSAGE **(6020100)**
- 5 – 3" MULTI ROTO **(6020101)**
- 4 – 4 3/8" DOUBLE ROTO **(6030088)**
- 2 – 4 3/8" MASSAGE **(6030091)**
- 4 – 4 3/8" VORTEX **(6030093)**

Spa Pack and Heater:

- Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)
- Controller: GECKO IN.YE-3-V3 (NA/EU)



SPECIFICATIONS

Seating: 6-7 Person
Dimensions in inches: 91" X 91" X 36.4"
Dimensions in centimeters: 231 cm x 231 cm x 92.5 cm
Dry Weight: 712 lbs / 323 kg
Filled Weight (Spa Volume): 4,308 lbs / 1,955 kg
Water Capacity (Spa Volume): 429 US gallons / 1,632 L
Electronic Controls: GECKO K336 Spa Keypad **(7005123)**
Massage Selectors: 0
Air Controls: 2
Water Management System: (2)50 SQ FT threaded filters
(1 with integrated brominator)
LED Lighting: (1) Large LED lens with 20 LED lights
Dura Synthetic Cabinet Options: Harbor Grey & Driftwood Grey
Acrylic Options: Black Opal, Midnight Canyon, Misty Mountain, Pure White & Silver Marble
Headrests: (3) Tri-Curve Pillows **(8515099)**
Electrical Requirements: **North America (60 Hz):**
 240 Volts, 40 Amps
 GFCI RATED: 50 Amps
Europe (50 Hz):
 230 Volts, 16 Amps
 (or suitably rated circuit breaker to comply with local electrical codes.
 RCD breakers with MC
Warranty: 10/5/3 Year Limited



OPTIONS & SPECIAL FEATURES

MOONFALL PACKAGE INCLUDES:

Aquablade Waterfalls
 Serenity Moonlights
 Illuminated Top Valve Deck Controls

COVERS:


Custom Hydrowise Insulating Cover Colour
 Cover Remover Standard
 Cover Remover Low Profile (Undermount)
 Cover Remover Plus (Hydraulic)

OTHER POPULAR UPGRADES & OPTIONS:

Smart Tub Package
 Two Tier Universal Step
 Pure Water System



MASSAGE SELECTOR/AIR CONTROL DIAGRAM



Seat Depth:

- A = 25.08" (63.70 cm)
- B = 27.47" (69.77 cm)
- C = 24.95" (63.37 cm)
- D = 27.71" (70.38 cm)
- E = 25.02" (63.55 cm)
- F = 26.26" (66.70 cm)

LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT TOLERANCE ±1/4" (0.64 CM)

PUMPS AND JETS

Pump 1

North America (60 Hz): 2SP, 4HP, 12.0/1.0 AMPS **(6505155)**
Europe (50 Hz): 2SP, 3HP, 10.0/1.0 AMPS **(6510049)**

Pump 2

North America (60 Hz): 1SP, 3HP, 10.0 AMPS **(6505161)**
Europe (50 Hz): 1SP, 3HP, 8.7 AMPS **(6510039)**

Air Control: (2) – 1" Air Control **(4525235)**

On / Off Control:

1 – 1" On/Off Valve Wall Fitting **(4525236)**
1 – 1" On/Off Valve Stem Assembly **(4525237)**

Filters: (1) 50 SQ FT Threaded **(4520062)**
(1) 50 SQ FT Threaded with brominator **(4520063)**

59 Total Therapy Jets:

- 21 – 2" DIRECTIONAL **(6015099)**
- 1 – 2" MULTI ROTO **(6015101)**
- 12 – 1" OZONE CLUSTER **(6015103)**
- 10 – 3" DIRECTIONAL **(6020099)**
- 1 – 3" MASSAGE **(6020100)**
- 4 – 3" MULTI ROTO **(6020101)**
- 4 – 4 3/8" DOUBLE ROTO **(6030088)**
- 2 – 4 3/8" MASSAGE **(6030091)**
- 4 – 4 3/8" VORTEX **(6030093)**

Spa Pack and Heater:

Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)
Controller: GECKO IN.YE-3-V3 (NA/EU)

