



#### Specification

Seating Capacity
Dimensions
Useable Swim Area Dimensions
Dry Weight
Filled Weight (Swim Spa Volume)
Water Capacity (Swim Spa Volume)
Electronic Controls
Pump 1
•
Pump 2
Total Seat Jets
Seat A Jets
Seat B Jets
Seat C Jets
Seat D Jets
Seat E Jets
Seat F Jets
Seat G Jets
Seat H Jets
Footwell
Massage Selectors
Air Controls
Water Management System
LED Lighting
Synthetic Cabinet Colours
Acrylic Colours
Headrests
Waterfalls
Electrical Requirements

Warranty
Options/ Special Features

10 Person 150" X 93" X 52.75" / (381 cm X 236 cm X 134 cm) 88" or 223 cm 1,760 lbs / 799 kg 12,983 lbs / 5,891 kg 1,340 US gallons / 5,092 L IN-K362 Keypad and overlay North America (60 Hz): 2- Speed, 4 HP, AMPs 12.0/1.0 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0 North America (60 Hz): 2- Speed, 4 HP, AMPs 12.0/1.0 Europe (50 Hz): 2- Speed, 3 HP, AMPs 10.0/3.0 32 (1)-6015050; (2)-6020069; (2)-6020072 (1)-6015050; (2)-6020069; (2)-6020070; (2)-6020072 (1)-6015050 (1)-6015050 (2)-6020069; (1)-6020072 (1)-6015050; (2)-6020069; (2)-6020070; (2)-6020072 (1)-6015050 (1)-6015050 (4)-6015050; YES 4 Pure Water System (2)-20 LED Small Light Driftwood Silver Marble N/A 4 (cascading blade style) North America (60 Hz): 240 V,40 AMPs GFCI RATED: 50 AMPs Europe (50 Hz):230V, 28A or suitably rated circuit breaker to comply with local electrical codes. RCD breakers with MC. 10/5/3 Year limited


1) Fitness and Fun:

- Aqua Rowing Kit
  - HP Cross Training Fitness Kit
- 24" Stainless Steel Exercise Bar
- 2) Covers:
  - Safety Insulating Cover
  - Summer Cover with Tie Downs
  - Bi-Fold Cover Option
  - Delete Hardcover
  - Rollaway Cover + (Need to delete Hardcover)
  - Bracket for Rollaway Cover
  - Cover Remover (Standard)
  - Cover Remover Plus (Hydraulic)
- 3) Hydrotherapy & Swim:
  - Hydro Flex Air Therapy System- Heated\*\*
  - White Water System\*\*
  - (\*\*Both System cannot be ordered on the same Swim Spa due to amperage Demand)
- 4) Water Management:
  - EZ- Pure Ozone System
  - Pure Water System
- 5) Steps:
  - 5 Tier Aqua Step
- 6) Other Popular Upgrades & Options:
  - GFCI Including Subpanel
  - I Command System
  - Additional Heater






# Massage Selector/Air Control Diagram



## Seat Depth

A = 27.76" (70.51cm)	D = 28.26" (71.78cm)	G = 26.23" (66.62cm)
B = 26.39" (67.03cm)	E = 25.93" (65.86cm)	H = 26.23" (66.62cm)
C = 28.26" (71.78cm)	F = 27.74" (70.45cm)	



LISTED DIMENSIONS REPRESENT DISTANCE FROM THE TOP OF ACRYLIC TO LOWEST POINT IN THE SEAT. TOLERANCE  $\pm 1/16$  '' (0.158CM)







# HYDROPOOL – 13FFP AQUAPLAY



## Dimensions







IMPORTANT! Always measure each swim spa for exact dimensions BEFORE designing its foundational support and/or decking



#### NOTE:

Dimensional tolerances are as follows due to variations in manufacturing:

Length / Width / Height(s): +/- 3/8"

Height Variance (side to side): +/-1/4"





Ē.



Year:	2023	
Model:	Hydropool 13FFP Aqua Play	
Size:	150" X 93" X 52.75" / (381 cm X 236 cm X 134 cm)	
Series:	Hydropool Aqua Play Series	
Main Keypad:	IN. K362 Keypad (7005087) and overlay (5555363)	
Spa Pack and	Heater: 4 KW 240 V (NA) & 3 KW 230V (EU)	
Heater:	Controller GECKO IN.YE-3 NA / EU	
Pump #1:	North America (60 Hz): 2- SP, 4 HP, AMPs – 12.0/1.0 (6505155)	
	Europe (50 Hz): 2- SP, 3 HP, AMPs – 10.0/3.0 (6510038)	
	North America (60 Hz): 1- Speed, 4 HP, AMPs 12.0/1.0 (6505155)	
Pump #2:	Europe (50 Hz): 1- Speed, 4 HP, AMPs 14 (6510044)	
Circulation Pump:	N/A	
	8 - CLUSTERSTORM JET - DIRECTIONAL (6015050),	
	3 - CLUSTERSTORM JET - TWIN ROTO (6015053),	
	2 - MINISTORM JET - DIRECTIONAL (6020069),	
	2 - MINISTORM JET - MULTI-MASSAGE (6020070),	
	3 - MINISTORM JET - GALAXY MASSAGE (6020071)	
	9 - MINISTORM JET - PULSE MASSAGE (6020072),	
	2 – POLYSTORM JET - RIFLED <b>(6030064),</b>	
Therapy Jets:	2 – POLYSTORM JET – MASSAGE (6030065),	
	4 – POLYSTORM JET – TWIN ROTO (6030066),	
Air Controls:	(4) - Air Control <b>(4525089)</b>	
Diverters:	(1) - 2" Water Diverter <b>(4525091)</b>	
Filters:	50 SQ.FT Filter <b>(5530023)</b>	

